

Туре	Vol.	D	S	A	H1	H2	Н	НВ	Kg
1017.1	150	980	1020	opt.	1200		1250	1650	90
1017.2	200	980	1020	opt.	1200	100	1350	1750	100
1017.3	250	1040	1120	opt.	1430		1490	1930	118
1017.4	300	1040	1120	opt.	1430	100	1590	2030	125
1017.5	350	1040	1120	opt.	1430	125	1615	2055	150
1017.6	375	1040	1120	opt.	1430	150	1640	2080	178
1017.7	400	1040	1120	opt.	1430	200	1690	2130	185
1017.8	500	1040	1120	opt.	1430	300	1790	2230	195
1017.9	600	1040	1120	opt.	1430	400	1890	2330	210
1017.10	750	1400	1400	opt.	1410	250	1720	2360	218
1017.11	800	1400	1400	opt.	1410	300	1770	2410	230
1017.12	1000	1400	1400	opt.	1410	400	1870	2510	285
1017.13	1250	1600	1600	opt.	1400	250	1710	2450	285
1017.14	1500	1600	1600	opt.	1400	400	1860	2600	342
1017.15	1750	1600	1600	opt.	1400	500	1960	2700	405
1017.16	2000	1800	1800	opt.	1550	450	2060	2900	442

A au choix: Ø 150, Ø 200 mm